



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31115006-005

Harvest/Lot ID: D8LR001

Batch#: D8LR001

Sample Size Received: 2 gram

Total Amount: 1 units

Retail Product Size: 2 gram

Ordered: 11/14/23

Sampled: 11/15/23

Completed: 11/16/23

Sampling Method: SOP.T.20.010.FL

PASSED

Nov 16, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



Pages 1 of 1


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
NOT TESTED



Heavy Metals
NOT TESTED



Microbials
NOT TESTED



Mycotoxins
NOT TESTED



Residuals Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.

Cannabinoid **PASSED**



Total THC
0.212%



Total CBD
ND



Total Cannabinoids
92.313%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.212	ND	ND	ND	91.840	ND	ND	0.261	ND	ND	ND
mg/unit	4.24	ND	ND	ND	1836.80	ND	ND	5.22	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 4044 Weight: 0.1095g Extraction date: 11/15/23 11:32:33 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 11/16/23 12:35:56
 Analytical Batch : DA066421POT Batch Date : 11/15/23 10:42:48
 Instrument Used : DA-LC-007
 Analyzed Date : 11/15/23 11:34:05

Dilution : 40
 Reagent : 100423.01; 111423.R05; 060723.50; 070121.27; 110723.R05
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
11/16/23